## README

This file is a graphic depicting rearing for the Hood River stock rearing groups from egg stage until release as yearling smolts for brood years (BY) 2008-2017.

See Release Group Description.csv for full background background information.

## Rearing Site abbreviations depicted:

**PARK:** Parkdale Hatchery

**CARS:** Carson National Fish Hatchery

**BLKBAS:** Blackberry Acclimation Site

**MVFLAP:** Moving Falls Acclimation Site

**ROBU:** Round Butte Hatchery

**PELTON:** Pelton Ladder acclimation site

## Rearing Group descriptions:


**HR\_PARK:** Hood River stock fish reared at PARK


HR CARS: Hood River stock fish reared at CARS


**HR\_PELTON**: Hood River stock fish reared at ROBU/PELTON

**HR\_MVFLAP**: Hood River stock fish reared at MVFLAP


**HR\_MVFLAP\_PARK:** Hood River stock fish that spent their first summer-fall at MVFLAP and overwintered at PARK.









<sup>\* 2012</sup> was the first year that Moving Falls was available and used for acclimation.



<sup>\*\*</sup>Egg numbers from 2010-2011 Operations RPT is inconsistent with release numbers in 2012-2013 Operations RPT





<sup>\*</sup> Water delivery problems at MVFLAP in December resulted in loss of this group




<sup>\*</sup>First year that HRPP implemented naturalized growth regime

<sup>\*\*</sup>Not sure the origin of these fish received from ROBU; 2012-2013 Operations report stated that no eggs were sent to ROBU this BY!






<sup>\*</sup>Fish were transported back 2 weeks early (Oct. 12) due to possible flooding of W. Fork.



<sup>\*</sup> Eagle Creek Wildfire forced evacuation of fish from MVFLAP two months earlier than planned



<sup>\*</sup> Experimental rearing group used to compare conventional vertical and Best Fry Box incubation